Bolivia – Oruro Global Youth Tobacco Survey (GYTS) FACT SHEET



The Bolivia – Oruro GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, environmental tobacco smoke exposure (ETS), cessation, media and advertising, and school curriculum. These determinants are components Bolivia could include in a comprehensive tobacco control program.

The Bolivia – Oruro GYTS was a school-based survey of students in Primero secundaria, Segundo secundaria, Tercero secundaria, Cuarto secundaria and Octavo de primaria conducted in 2003.

A two-stage cluster sample design was used to produce representative data for all of Oruro. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 100%, the student response rate was 78.7%, and the overall response rate was 78.7%. A total of 1,442 students participated in the Bolivia – Oruro GYTS.

Prevalence

53.4% of students had ever smoked cigarettes (Boy = 62.7%, Girl = 41.9%)

28.8% currently use any tobacco product (Boy = 32.5%, Girl = 24.2%)

24.7% currently smoke cigarettes (Boy = 29.4%, Girl = 18.9%)

10.4% currently use other tobacco products (Boy = 11.8%, Girl = 8.8%)

25.5% of never smokers are likely to initiate smoking next year

Knowledge and Attitudes

23.5% think boys and 21.5% think girls who smoke have more friends 19.8% think boys and 15.5% think girls who smoke look more attractive

Access and Availability - Current Smokers

14.8% usually smoke at home

55.6% buy cigarettes in a store

73.6% who bought cigarettes in a store were NOT refused purchase because of their age

Environmental Tobacco Smoke

40.6% live in homes where others smoke in their presence

56.9% are around others who smoke in places outside their home

78.5% think smoking should be banned from public places

60.3% think smoke from others is harmful to them

42.8% have one or more parents who smoke

15.3% have most or all friends who smoke

Cessation - Current Smokers

61.1% want to stop smoking

60.9% tried to stop smoking during the past year

73.6% have ever received help to stop smoking

Media and Advertising

75.2% saw anti-smoking media messages, in the past 30~days

79.1% saw pro-cigarette ads on billboards, in the past 30 days

71.3% saw pro-cigarette ads in newspapers or magazines, in the past 30 days

16.2% have an object with a cigarette brand logo

13.2% were offered free cigarettes by a tobacco company representative

School

56.7% had been taught in class, during the past year, about the dangers of smoking

28.4% had discussed in class, during the past year, reasons why people their age smoke

44.9% had been taught in class, during the past year, the effects of tobacco use

Highlights

- Three out of 10 students currently use any form of tobacco; approximately 1 in 4 currently smoke cigarettes; 10% currently use some other form of tobacco.
- ETS exposure is high almost half the students live in homes where others smoke and 57% are exposed to smoke around others outside of the home; almost half of the students have a parent who smokes and approximately one in five students have friends who smoke.
- Over half of the students think smoke from others is harmful to them.
- 6 out of 10 current smokers want to stop smoking.
- 13% of the students were offered a free cigarette by a tobacco company representative.
- Over 8 in 10 students saw antismoking media messages in the past 30 days; approximately 4 out of 5 students saw pro-cigarette ads in the past 30 days.